

# 752 Rib 'n' Roll™ 3 mm broad rib

Rubber runner with a broad rib profile

# Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

## 752 Rib 'n' Roll™ 3 mm broad rib

Durable rubber material with excellent wear and tear resistance. Used as flooring, shelf liners and in all kinds of industrial applications.

- SBR Rubber
- Broad rib surface profile

### Recommended use

- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Light duty

### Colors:

- Black

### Sizes:

- 100cm x 10m
- 120cm x 10m
- 100cm x 10m
- 120cm x 10m



# Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

## Rib 'n' Roll™ 3 mm broad rib

### General

Brand	Notrax
Category	Runners & Flooring
Product Number	752
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Rib 'n' Roll™ 3 mm broad rib
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Barendrecht 2992SB, The Netherlands
Type	Rubber Runners - Grooved
Update trigger	20210310-1301
Usage Intensity	Light duty

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Sustainability	Recyclable material
Warranty	1

### Tests

Abrasion Resistance 1000	0.2% weight loss @ 5000 cycles
Elongation	250%
Hardness	60 Shore A
Coefficient Friction Dry	0.73
Surface Flammability	Pass
Tear Strength	3.5 Mpa

### Technical Specifications

Application	Industrial Environments
Edges	No borders
Material	SBR Rubber
Material Group	Rubber
Process	Calendering
Temperature Range	- 40 ° C up to + 120 ° C

## Rib 'n' Roll™ 3 mm broad rib Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
752R0433BL	120cm x 10m	45.6	0.3
752R0333BL	100cm x 10m	34	0.3
752C0048BL	120cm x 10m	4.56	0.3
752C0036BL	100cm x 10m	3.3	0.3