# 833 Switchboard Matting™ Class 1 Class 1 Insulation Matting



# Ergonomic, Anti-fatigue & Safety Matting - Switchboard Matting 833 Switchboard Matting™ Class 1

Insulating matting prevents workers from being "grounded" and provides safety in case of electrical shock. The corrugated saw-tooth top surface increases traction and is easy to sweep clean.

- Each square inch of matting is tested in conformance with ANSI/ASTM D-178 specifications
- The corrugated saw-tooth top surface provides increased traction and is easy to sweep clean
- Must be replaced every 12 months for optimum safety
- Recommended maximum usage: 7,500 Volts

#### Recommended use

- Dry Areas
- Around electric sub-stations, transformers and switches, electrical panels, engine and generator rooms
- Heavy duty

#### Colors:

Black

#### Sizes:

- 91cm x 150cm
- 91cm x linm
- 91cm x 22,8m



# Ergonomic, Anti-fatigue & Safety Matting - Switchboard Matting $\mathsf{Switchboard}\ \mathsf{Matting}^\mathsf{TM}\ \mathsf{Class}\ 1$

#### General

Brand	Notrax		
Category	Switchboard Matting		
Product Number	833		
Product Family	Industrial & Commercial Matting		
Product Group	Ergonomic, Anti-fatigue & Safety Matting		
Product Name	Switchboard Matting™ Class 1		
Recommended use	Around electric sub-stations, transformers and switches, electrical panels, engine and generator rooms		
Shipping Location	Barendrecht 2992SB, The Netherlands		
Туре	Industrial Specialties - Electrical Protective Matting		
Update trigger	20210310-1301		
Usage Intensity	Heavy duty		

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Warranty	1

#### Tests

Hardness	75 Shore A
Surface Flammability	Pass

### **Technical Specifications**

Application	Dry industrial environments		
Edges	No borders		
Material	PVC (DOP free)		
Material Group	PVC		
Process	Calendering		
Voltage Class	1		
Voltage Maximum	10000		
Voltage Recommended	7500		

## Switchboard Matting™ Class 1 Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
833S0035BL	91cm x 150cm	11.6	0.47
833R0375BL	91cm x 22,8m	160	0.47
833C0036BL	91cm x linm	7.6	0.47