580 Sorb Stance™

Tough anti-fatigue mat with sorbent



Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties 580 Sorb Stance™

Anti-fatigue matting designed for combined use with a sorbent. Made of a high quality nitrile rubber compound that is resistant to most industrial oils and designed to yield a long service life.

- Ramps on all four sides are raised to form a holder tray around the mat
- Rough "gripper" surface prevents the sorbent from shifting
- Ergonomic benefit derived from 16 mm thick worker platform
- Raised studs on the backside to provide aeration and excellent cushioning comfort

Recommended use

- Wet/Dry and Oily Areas
- For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
- Heavy duty

Colors:

• Black/Orange

Sizes:

- 91cm x 163cm
- 91cm x 316cm
- 91cm x 468cm
- 91cm per 30cm

Accessories:

• 580H Heavy Duty Sorbent for Sorb Stance™



SLIP RESISTANCE

ANTI-FATIGUE



Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties $Sorb\ Stance^{\tau M}$

General

Brand	Notrax			
Category	Industrial Specialties			
Product Number	580			
Product Family	Industrial & Commercial Matting			
Product Group	Ergonomic, Anti-fatigue & Safety Matting			
Product Name	Sorb Stance™			
Recommended use	For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms			
Shipping Location	Barendrecht 2992SB, The Netherlands			
Туре	Wet / Oily Areas - Sorbent Duckboards			
Update trigger	20210310-1301			
Usage Intensity	Heavy duty			

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).		
Sustainability	Recyclable material		
Warranty	1		

Tests

Abrasion Resistance 1000	1.4% weight loss
Compression Deflection 1.4	11.9 lb/in² (25%)
Compression Deflection 2.8	64.3lb/in² (50%)
Elongation	496.7 %
Foam Battery	35.7 lb/in ²
Hardness	65 Shore A
Coefficient Friction Dry	0.71
Surface Flammability	Pass

Technical Specifications

Application	Industrial Environments		
Breaking Load	117.2 lb		
Edges	Orange coloured borders included comply with OSHA Code 1910-144		
Material	100% Nitrile rubber		
Material Group	Nitrile rubber		
Process	Compression Moulding		

Sorb Stance™ Orange/Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
580S0315OB	91cm x 468cm	56.7	2.1
580S0310OB	91cm x 316cm	37.8	2.1
580S0000OB	91cm per 30cm	3.4	2.1
580S0035OB	91cm x 163cm	18.9	2.1

Accessories

580H Heavy Duty Sorbent for Sorb Stance™