
# 150 Aqua Trap® Robust barrier mat with raised domes



# Dust Control Matting - Carpet Mats 150 Aqua Trap®

True to its name, this patented perimeter "Aqua Dam" forms a tray that can hold up to 6 litres of water per square meter and is treated with an anti microbial carpet treatment to stop bacteria and germs at the entrance.

- Textile top surface is high pressure moulded into a bubble design on an indestructible rubber base to withstand the heaviest of foot traffic
- Unsurpassed ability to scrape debris from shoes while maintaining its great looking appearance for the longest time
- Unique slip resistant gripper pattern on the back

#### Recommended use

- Indoor
- For placement inside entrances of hotels, shops, department stores, schools, universities, restaurants, supermarkets.
- Heavy traffic

#### Colors:

- Brown
- Charcoal
- Grey
- Red/Black

#### Sizes:

- 120cm x 180cm
- 60cm x 90cm
- 90cm x 150cm

WATER RETENTION

**CRUSH RESISTANCE** 

RATING DUST CONTROL

# Dust Control Matting - Carpet Mats Aqua Trap®

#### General

Brand	Notrax	
Category	Carpet Mats	
Product Number	150	
Product Family	Industrial & Commercial Matting	
Product Group	Dust Control Matting	
Product Name	Aqua Trap®	
Recommended use	For placement inside entrances of hotels, shops, department stores, schools, universities, restaurants, supermarkets.	
Shipping Location	Barendrecht 2992SB, The Netherlands, Chicago, IL 60638, United States	
Туре	Indoor/Outdoor Carpet Mat	
Update trigger	20210310-1301	
Usage Intensity	Heavy traffic	

#### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).		
Reach US	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).		
Rohs US	Rohs compliant (Restriction of Hazardous Substances).		
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals		
Warranty	1		

#### Tests

Fire rating EU	ASTM D2859 passes DOC-FF-1-70		
Fire rating US	Pass		
Sanitary Testing	Pass		
Surface Flammability	Pass		

## **Technical Specifications**

Absorption Capacity	3.6 l/m²	
Accelerated Soiling	4	
Accelerated Wear	4	
Application	Loose Lay Carpet Mats	
Backing	Synthetic rubber	
Edges	Fabric covered borders: 2.5 cm on all sides	
Material	Polyester	
Material Group	Polyester	
Pile Weight (g)	850	
Process	Needle punch	
Yarn Construction	Needle punched	

## Aqua Trap® Grey

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
150S0046GY	120cm x 180cm	9	1.3
150S0023GY	60cm x 90cm	2.5	1.3
150S0035GY	90cm x 150cm	6.1	1.3

## Aqua Trap® Charcoal

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
150S0046CH	120cm x 180cm	9	1.3
150S0035CH	90cm x 150cm	6.1	1.3
150S0023CH	60cm x 90cm	2.5	1.3

## Aqua Trap® Red/Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
150S0046RB	120cm x 180cm	9	1.3
150S0035RB	90cm x 150cm	6.1	1.3
150S0023RB	60cm x 90cm	2.5	1.3

## Aqua Trap® Brown

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
150S0023BR	60cm x 90cm	2.5	1.3
150S0046BR	120cm x 180cm	9	1.3
150S0035BR	90cm x 150cm	6.1	1.3