

# T23RD Multi Mat II® Red

Multi Mat II® perforated reversible anti-slip mat





# Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting

## T23RD Multi Mat II® Red

Reversible anti-slip matting provides comfort and adds traction for good adherence in dry, wet and greasy areas. Drainage holes for instant evacuation of fluids allow debris to fall through, leaving the surface clear.

- Resistant to oils and greases
- Useable on both sides for extended life
- Raised studs provide grip and aeration

### Recommended use


- Wet/Dry and Greasy Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Medium duty

### Colors:

- Red

### Sizes:

- 122cm x 122cm
- 122cm x 244cm
- 60cm x 122cm
- 60cm x 244cm
- 91cm x 122cm
- 91cm x 244cm
- 122cm x 975cm
- 60cm x 975cm
- 91cm x 975cm



# Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting

## Multi Mat II® Red

### General

Brand	Notrax
Category	Food Processing and Food Service Matting
Product Number	T23RD
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Multi Mat II® Red
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Barendrecht 2992SB, The Netherlands
Type	Wet/Dry or Oily Areas - Anti Slip Mats
Update trigger	20210310-1301
Usage Intensity	Medium duty

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Reach US	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Rohs US	Rohs compliant (Restriction of Hazardous Substances).
Sustainability	Recyclable material
US Warranty	7
Warranty	1

### Tests

Abrasion Resistance 500	1.6%
Fire rating US	Pass
Coefficient Friction Dry	0.63
Surface Flammability	Pass

### Technical Specifications

Application	Industrial Environments
Edges	No borders
Material	75% Nitrile rubber
Material Group	Nitrile rubber
Process	Compression Moulding

## Multi-Mat™ II Red

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
T23R0332RD	91cm x 975cm	82	0.95
T23S0034RD	91cm x 122cm	13.3	0.95
T23S0038RD	91cm x 244cm	20.5	0.95
T23R0232RD	60cm x 975cm	57.9	0.95
T23S0024RD	60cm x 122m	7.12	0.95
T23S0044RD	122cm x 122cm	14.6	0.95
T23R0432RD	122cm x 975cm	115.8	0.95
T23S0028RD	60cm x 244cm	14.5	0.95
T23S0048RD	122cm x 244cm	28.7	0.95