# 585 Eco Stance™

Tough anti-fatigue mat with sorbent



# Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties 585 Eco Stance™

Anti-fatigue matting designed for combined use with a sorbent. Ergonomic benefit derived from 12.7 mm thick worker platform with a bubble design and moulded air pockets underneath provide buoyancy for basic fatigue relief.

- Rough "gripper" surface prevents the sorbent from shifting.
- Ramps on four sides are raised to form a holder tray around the mat
- Ergonomic benefit derived from 12.7 mm thick worker platform
- Bubble design and moulded air pockets underneath provide buoyancy for basic fatigue relief

#### Recommended use

- Wet/Dry and Oily Areas
- For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
- Medium duty



Black

#### Sizes:

• 87cm x 157cm

#### Accessories:

580F Standard Sorbent for Eco Stance™



WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE

# Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties $Eco\ Stance^{\tau M}$

### General

Brand	Notrax		
Category	Industrial Specialties		
Product Number	585		
Product Family	Industrial & Commercial Matting		
Product Group	Ergonomic, Anti-fatigue & Safety Matting		
Product Name	Eco Stance™		
Recommended use	For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms		
Shipping Location	Barendrecht 2992SB, The Netherlands		
Туре	Wet / Oily Areas - Sorbent Duckboards		
Update trigger	20210310-1301		
Usage Intensity	Medium duty		

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).	
Sustainability	Recyclable material	
Warranty	1	

### Tests

Abrasion Resistance 1000	2.03% weight loss
Elongation	692.8%
Foam Battery	39.5 lb/in <sup>2</sup>
Hardness	50 Shore A
Coefficient Friction Dry	0.74
Surface Flammability	Pass

### **Technical Specifications**

Application	Industrial Environments	
Breaking Load	60.1 lb	
Material	100% Nitrile rubber	
Material Group	Nitrile rubber	
Process	Compression Moulding	

## Eco Stance™ Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
585S0035BL	87cm x 157cm	9.3	1.27

Accessories 580F Standard Sorbent for Eco Stance™