

# 103 Master Trax Lite™

Robust entrance matting system



# Dust Control Matting - Indoor Contract & Installation Matting

## 103 Master Trax Lite™

Durable carpet flooring, designed for large indoor entrance areas, including wall-to-wall applications. Offers many possibilities for creative combinations that will allow the entrance to become part of the complete interior design.

- Mold and mildew resistant, UV stabilized, crush resistant and remains unaffected by climate extremes
- Synthetic rubber backing
- Nibbed needle punched carpet consisting of anti-static 100% polypropylene fibres

### Recommended use

- Indoor
- For placement in interior or exterior recessed matwell frames. Designed for pedestrian traffic, not suitable for extremely heavy loads.
- Medium traffic

### Colors:

- Brown
- Blue
- Charcoal
- Grey
- Red

### Sizes:

- 200cm x 10m
- 200cm x 20m

### Accessories:

- 084 Bevelled Nosing 4 mm

WATER RETENTION

CRUSH RESISTANCE

RATING DUST CONTROL

# Dust Control Matting - Indoor Contract & Installation Matting

## Master Trax Lite™

### General

Brand	Notrax
Category	Indoor Contract & Installation Matting
Product Number	103
Product Family	Industrial & Commercial Matting
Product Group	Dust Control Matting
Product Name	Master Trax Lite™
Recommended use	For placement in interior or exterior recessed matwell frames. Designed for pedestrian traffic, not suitable for extremely heavy loads.
Shipping Location	Barendrecht 2992SB, The Netherlands
Type	Indoor Absorbant - Contract and Installation
Update trigger	20210310-1301
Usage Intensity	Medium traffic

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Sustainability	Contributes to a cleaner environment by reducing need of cleaning chemicals
Warranty	1

### Tests

Comfort Class	LC2
Fire rating EU	ASTM D2859 passes DOC-FF-1-70
Fire rating US	Pass
Surface Flammability	Pass

### Technical Specifications

Absorption Capacity	4 l/m2
Backing	Synthetic rubber
Edges	No borders
Material	100% anti-static polypropylene fibres
Material Group	Polypropylene
Pile Weight (g)	1200
Process	Needle punch
Yarn Construction	Needle punched

## Master Trax Lite™ Red

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)	Recommended accessories
103C0078RD	200cm x linm	4.5	0.9	084N0000BL
103R0078RD	200cm x 20m	93.5	0.9	

## Master Trax Lite™ Grey

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)	Recommended accessories
103C0078GY	200cm x linm	4.5	0.9	084N0000BL
103R0078GY	200cm x 20m	93.5	0.9	

## Master Trax Lite™ Blue

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)	Recommended accessories
103C0078BU	200cm x linm	1	0.9	084N0000BL
103R0078BU	200cm x 20m	93.5	0.9	

## Master Trax Lite™ Charcoal

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)	Recommended accessories
103C0078CH	200cm x linm	4.5	0.9	084N0000BL
103R0078CH	200cm x 20m	93.5	0.9	

## Master Trax Lite™ Brown

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)	Recommended accessories
103C0078BR	200cm x linm	4.5	0.9	084N0000BL
103R0078BR	200cm x 20m	93.5	0.9	

## Accessories

084 Bevelled Nosing 4 mm