(in accordance with Regulation (EU) 2020/878)

### Netoline

ASTRALPOOL

Version 1Date of compilation: 7/02/2020Version 7 (replaces version 6)Revision date: 30/05/2022

Page 1 of 12 Print date: 15/06/2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name: Netoline

1.2 Relevant identified uses of the substance or mixture and uses advised against.

De-scaler

**Uses advised against:** Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company:	FLUIDRA COMMERCIAL, S.A.U.			
Address:	Av. Alcalde Barnils, 69			
City:	08174 Sant Cugat del Vallès (Barcelona) Spain			
Province:	Barcelona			
Telephone:	Tel:34 93 724 39 00 Fax:34 93 724 29 93			
Fax:	+34 93 713 41 11			
E-mail:	fds@inquide.com			
Web:	www.astralpool.com			

**1.4 Emergency telephone number:** +34 93 724 39 00 (Only available during office hours; Monday-Friday; 08:00-18:00) Anti poisoning centre:

TrALY (Rome): 06/305 43 43 TrALY (Rome): 02/66 10 10 29 SPAIN: +34 91 562 04 20 FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25 PORTUGAL: 808 250 143 BELGIQUE (Brussel): (+34) 070 245 245 CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.


### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008: STOT SE 3 : May cause respiratory irritation. STOT SE 3 : May cause drowsiness or dizziness. Skin Corr. 1 : Causes severe skin burns and eye damage.

### 2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008: Pictograms:



(in accordance with Regulation (EU) 2020/878)

## Netoline



Version 1 Date of compilation: 7/02/2020 Revision date: 30/05/2022 Version 7 (replaces version 6)

Page 2 of 12 Print date: 15/06/2022

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Wear protective gloves/protective clothing/eye protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or a doctor. P405 Store locked up.

Keep out of the reach of children. Keep only in original container.

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008		
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate	
Index No: 017-002- 01-X EC No: 231-595-7 Registration No: 01- 2119484862-27-XXXX	hydrochloric acid	10 - 25 %	STOT SE 3, H335 - Skin Corr. 1B, H314	Skin Corr. 1B, H314: $C \ge 25$ % Skin Irrit. 2, H315: 10 % $\le$ C < 25 % Eye Irrit. 2, H319: 10 % $\le$ C < 25 % STOT SE 3, H335: $C \ge 10$ %	
CAS No: 61791-26-2 EC No: 500-153-8	Amines, tallow alkyl, ethoxylated	1 - 3 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Skin Corr. 1B, H314	-	
Index No: 603-117- 00-0 CAS No: 67-63-0 EC No: 200-661-7 Registration No: 01- 2119457558-25-XXXX	[2] propan-2-ol	0 - 10 %	Eye Irrit. 2, H319 - Flam. Liq. 2, H225 - STOT SE 3, H336	-	

[2] Substance with a national workplace exposure limit (see section 8.1).

### **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

(in accordance with Regulation (EU) 2020/878)

### Netoline

ASTRALPOOL

Version 1 Date of compilation: 7/02/2020

Version 7 (replaces version 6) Revision date: 30/05/2022

Page 3 of 12 Print date: 15/06/2022

### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

(in accordance with Regulation (EU) 2020/878)

### Netoline

Version 1 Date of compilation: 7/02/2020 Version 7 (replaces version 6) Revision dat

Revision date: 30/05/2022

Page 4 of 12 Print date: 15/06/2022

For later elimination of waste, follow the recommendations under section 13.

### SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

None in particular.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Country Limit value		mg/m <sup>3</sup>
		United	Eight hours	400	999
		Kingdom [1]	Short term	500	1250
		Éire [2]	Eight hours	200	
		cire [2]	Short term	400	
	67-63-0	Italia [2]	Eight hours	200	
propan-2-ol		Italia [3]	Short term	400	
propan-2-or		United States	Eight hours	400	
		[4] (Cal/OSHA)	Short term	500	
		United States	Eight hours	400	
		[5] (NIOSH)	Short term	500	
		United States	Eight hours	400	980
		[6] (OSHA)	Short term		

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. [2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[3] Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health,

Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs),

California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
	DNEL	Inhalation, Chronic, Systemic effects	500
propan-2-ol CAS No: 67-63-0	(Workers)		(mg/m <sup>3</sup> )
EC No: 200-661-7	DNEL	Inhalation, Chronic, Systemic effects	89
EC NO. 200-001-7	(Consumers)	-	(mg/m <sup>3</sup> )

(in accordance with Regulation (EU) 2020/878)

## Netoline



Version 1 Date of compilation: 7/02/2020

Version 7 (replaces version 6) Revision date: 30/05/2022

Page 5 of 12 Print date: 15/06/2022

DNEL (Workers)	Dermal, Chronic, Systemic effects	888 (mg/kg bw/day)
DNEL (Consumers)	Dermal, Chronic, Systemic effects	319 (mg/kg bw/day)
DNEL (Consumers)	Oral, Chronic, Systemic effects	26 (mg/kg bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	140,9 (mg/L)
	aqua (marine water)	140,9 (mg/L)
	aqua (intermittent releases)	140,9 (mg/L)
	sediment (freshwater)	552 (mg/kg
nronon 2 ol		sediment dw)
propan-2-ol CAS No: 67-63-0	sediment (marine water)	552 (mg/kg
EC No: 200-661-7		sediment dw)
Le No. 200-001-7	Soil	28 (mg/kg
		soil dw)
	STP	2251 (mg/L)
	oral (Hazard for predators)	160 (mg/kg
		food)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

#### 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %			
Uses:	De-scaler			
Breathing protect	tion:			
PPE:	Filter mask for protection against gases and particles.			
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.			
CEN standards:	EN 136, EN 140, EN 405			
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.			
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.			
Filter Type needed:	A2			
Hand protection:				
PPE:	Non-disposable protective gloves against chemicals.			
Characteristics:	«CE» marking, category III. Check the list of chemicals for which the glove has been tested.			
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420			
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous than not using gloves, since the pollutant can gradually accumulate in the glove's material.			
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.			
Material:	PVC (polyvinyl chloride)Breakthrough time (min.):> 480Material thickness (mm):0,35			
Eye protection:				
PPE:	Protective goggles with built-in frame.			
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.			

(in accordance with Regulation (EU) 2020/878)

### Netoline



Version 1	Date of compilation	Page 6 of 12	
Version 7 (rep	places version 6)	Revision date: 30/05/2022	Print date: 15/06/2022

CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					
PPE:	Chemical protective clothing				
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.				
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034				
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.				
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.				
PPE:	Anti-static safety footwear against chemicals.				
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.				
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345				
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.				
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.				

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Pale pink

Odour: Characteristic (spicy)

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product Boiling point or initial boiling point and boiling range: >100 °C Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: 187 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product pH: 0,5 (5%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: 100 %

Liposolubility: Etanol, éter, benceno, acetona

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product Vapour pressure: 23,676 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.) Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.05 - 1.09

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: No aplicable Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

### SECTION 10: STABILITY AND REACTIVITY.

-Continued on next page.-

(in accordance with Regulation (EU) 2020/878)

## Netoline



Version 1Date of compilation: 7/02/2020Version 7 (replaces version 6)Revision date: 30/05/2022

Page 7 of 12 Print date: 15/06/2022

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with: - Bases.

### 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

### 10.4 Conditions to avoid.

- Avoid contact with bases.

#### 10.5 Incompatible materials.

- Avoid the following materials:
- Bases.

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products: - Corrosive vapors or gases.

### SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. The inhalation of spray mist or suspended particulates can irritate the respiratory tract. It can also cause serious respiratory difficulties, central nervous system disorders, and in extreme cases, unconsciousness. **11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.** 

Splatters in the eyes can cause irritation and reversible damage.

### Toxicological information about the substances present in the composition.

Name		Acute toxicity			
N	lame	Туре	Test	Kind	Value
		Oral	LD50	Rat	700 mg/kg
hydrochloric acid		Dermal	LD50	Rabbit	> 5010 mg/kg
CAS No:	EC No: 231-595-7	Inhalation	LC50	Rat	4.6 mg/l
Amines, tallow alkyl, ethoxylated		Oral	LC50	Rat	2000 mg/kg
		Dermal			
CAS No: 61791-26-2	EC No: 500-153-8	Inhalation			
			LD50	Rat	5840 mg/kg bw [1]
			LD50	Rat	5840 mg/kg bw [2]
propan-2-ol		Oral	IN THE I Toxicol 3 [2] FURT IN THE I	NDUSTRIAL TO 0(1):63-68 HER EXPERIENC	CE WITH THE RANGE FINDING TEST XICOLOGY LABORATORY, J Ind Hyg CE WITH THE RANGE FINDING TEST XICOLOGY LABORATORY, J Ind Hyg
			LD50	Rabbit	13900 mg/kg [1]
		Dermal	[1] OCDE	E 402	
			LC50	Rat	> 25000 mg/kg [1]
CAS No: 67-63-0	EC No: 200-661-7	Inhalation	[1] OCDE	E 403	

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

(in accordance with Regulation (EU) 2020/878)

## Netoline

Version 1Date of compilation: 7/02/2020Version 7 (replaces version 6)Revision date: 30/05/2022

Page 8 of 12 Print date: 15/06/2022

Mixtures: ATE (Oral) = 25.000 mg/kg

b) skin corrosion/irritation;Product classified:Skin Corrosive, Category 1: Causes severe skin burns and eye damage.

c) serious eye damage/irritation; Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure;
 Product classified:
 Specific target organ toxicity following a single exposure, Category 3: May cause respiratory irritation.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

#### 11.2 Information on other hazards. Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health. **Other information** 

There is no information available on other adverse health effects.

### SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

Name		Ecotoxicity			
Name	Туре	Test	Kind	Value	
	Fish	LC50	Fish	282 mg/l (96 h)	
hydrochloric acid	Aquatic invertebrates	EC50	Daphnia	56 mg/l (72 h)	
CAS No: EC No: 231-595-7	Aquatic plants				
	Fish	LC50	Fish	0.99 mg/l (96 h)	
Amines, tallow alkyl, ethoxylated	Aquatic invertebrates				
CAS No: 61791-26-2 EC No: 500-153-8	Aquatic plants				
propan-2-ol	Fish	LC50 LC50	Fish Pimephales promelas	9640 mg/l (96 h) [1] 10000 mg/l (96 h) [2]	

(in accordance with Regulation (EU) 2020/878)

## Netoline



Version 1Date of compilation: 7/02/2020Version 7 (replaces version 6)Revision date: 30/05/2022

Page 9 of 12 Print date: 15/06/2022

		Aquatic invertebrates	<ul> <li>[1] Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1. Center for Lake Superior Environmental Stud., Univ.of Wisconsin-Superior, Superior, WI :414</li> <li>[2] The 96 hour LC50 method is described by the US Environmental Protection Agency Committee on Methods for Toxicity Tests with Aquatic Organisms 1975.</li> <li>EC50 Daphnia magna 9714 mg/L (24 h) [1] LC50 Daphnia magna &gt;10000 mg/l (24 h) [2]</li> <li>[1] Not GLP, no guideline followed, although it is similar to the most recent OECD 202 with some deviations, which did not affect results. It contains all the information necessary for the evaluation.</li> <li>[2] Not GLP, no guideline followed, although it is similar to the most recent OECD 202 with some deviations, which did not affect results. It contains all the information necessary for the evaluation.</li> </ul>
CAS No: 67-63-0	EC No: 200-661-7	Aquatic plants	

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

- No information is available on the degradability of the substances present.
- No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

### Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
propan-2-ol		0,05	_	_	Very low
CAS No: 67-63-0	EC No: 200-661-7	0,05	-	-	very low

### 12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

(in accordance with Regulation (EU) 2020/878)

### Netoline



 Version 1
 Date of compilation: 7/02/2020

 Version 7 (replaces version 6)
 Revision date: 30/05/2022

Page 10 of 12 Print date: 15/06/2022

### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID. Transport documentation: Consignment note and written instructions Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

### 14.1 UN number or ID number.

UN No: UN1760

### 14.2 UN proper shipping name.

Description: ADR/RID: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS HYDROCHLORIC ACID / AMINES, TALLOW ALKYL, ETHOXYLATED), 8, PG II, (E) IMDG: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS HYDROCHLORIC ACID / AMINES, TALLOW ALKYL, ETHOXYLATED), 8, PG II ICAO/IATA: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS HYDROCHLORIC ACID / AMINES, TALLOW ALKYL, ETHOXYLATED), 8, PG II

### 14.3 Transport hazard class(es).

Class(es): 8

### 14.4 Packing group.

Packing group: II

### 14.5 Environmental hazards.

Marine pollutant: No Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

### 14.6 Special precautions for user.

Labels: 8



Hazard number: 80 ADR LQ: 1 L IMDG LQ: 1 L ICAO LQ: 0,5 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

### SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Preservation agents: SODIUM SULFITE Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

(in accordance with Regulation (EU) 2020/878)

## Netoline

Version 1 Date of compilation: 7/02/2020

Version 7 (replaces version 6) Revision date: 30/05/2022

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): nwg: Non-hazardous to water. (Autoclassified according to the AwSV Regulations)

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Flam. Liq. 2 : Flammable liquid, Category 2 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3 Skin Corr. 1 : Skin Corrosive, Category 1 Skin Corr. 1B : Skin Corrosive, Category 1B

Changes regarding to the previous version:

- Modification of specific hazards (SECTION 2.3).

- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Elimination of abbreviations and acronyms (SECTION 16).
- Addition of abbreviations and acronyms (SECTION 16).

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

, _,, [ ].			
Physical hazards	On basis of test data		
Health hazards	Calculation method		
Environmental hazards	Calculation method		

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.



Page 11 of 12 Print date: 15/06/2022

(in accordance with Regulation (EU) 2020/878)

## Netoline

Version 1 Date of compilation: 7/02/2020

Version 7 (replaces version 6)

Revision date: 30/05/2022

Page 12 of 12 Print date: 15/06/2022

- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- NOEC: No observed effect concentration.
- PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
- WGK: Water hazard classes.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.