430 Skywalker HD i-Curve™ Skywalker HD i-Curve™ 5-degree bubble mat



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Modular Matting 430 Skywalker HD i-Curve™

The Skywalker HDTM accessories maintain the same feel as the Skywalker HDTM mats with an ergonomic bubble pattern and matching rubber compounds. This seamless integration allows for unlimited configuration possibilities.

- 91 cm 45 degree inner curve
- 100% natural rubber compound

Recommended use

- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Heavy duty

Colors:

Black

Sizes:

• 91cm x 45 deg

Accessories:

- INS INSTALLATION
- 469 Skywalker HD Safety Line™
- 431 SkywalkerHD i-Curve™ Safety Ramp Nitrile



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Modular Matting $Skywalker\ HD\ i\text{-}Curve^{\text{TM}}$

General

Brand	Notrax		
Category	Dry Areas Modular Matting		
Product Number	430		
Product Family	Industrial & Commercial Matting		
Product Group	Ergonomic, Anti-fatigue & Safety Matting		
Product Name	Skywalker HD i-Curve™		
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.		
Series	Skywalker HD TM		
Shipping Location	Barendrecht 2992SB, The Netherlands, Chicago, IL 60638, United States		
Туре	Accessories - Skywalker HD™		
Update trigger	20210310-1301		
Usage Intensity	Heavy duty		

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).	
Reach US	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).	
Rohs US	Rohs compliant (Restriction of Hazardous Substances).	
Sustainability	Recyclable material	
Warranty	1	

Tests

Abrasion Resistance 1000	0.824
Elongation	210%
Fire rating US	Pass
Hardness	67 Shore A
Slip Rating	R9
Surface Flammability	Pass
Tear Strength	10.5 N/mm

Technical Specifications

Application	Industrial Environments	
Breaking Load	4.80 Mpa	
Edges	Attachable bevelled edges are available	
Material Group	Rubber	
Process	Compression Moulding	

Skywalker HD i-Curve™ Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
430SC045BL	91cm x 45 deg	4.25	1.3

Accessories INS INSTALLATION

469 Skywalker HD Safety 431 SkywalkerHD i-Line™ Curve™ Safety Ramp Nitrile